

BATTERY MODULE EOS 5K PACK

TECHNICAL SPECIFICATION





Soluna's EOS 5K Pack is a single-phase battery solution ideal for Residential and small Commercial energy storage applications.

The model is adopting by latest LiFePO4 technology with intelligent BMS integrated inbuilt blackout protection for energy security, offering a 5kWh capacity that can be installed in series with up to 8 batteries enabling 40kWh of total storage.

With a 10-year warranty and up to 6000 long cycle life, the EOS 5K Pack is a flexible, reliable, high-performance battery storage solution.

Low Voltage





Scalable to 40kWh

Safest LiFePO4 battery





Long lifespan

Easy Installation





Floor, Wall Mountable **Rack Mountable**





TECHNICAL SPECIFICATIONS

PHYSICAL CHARACTERISTICS

 Height (mm)
 595

 Width (mm)
 438

 Depth (mm)
 165

 Weight (kg)
 60

Installation Floor-stand,

Wall-mounted, Rack-mounted

ELECTRICAL CHARACTERISTICS

Lithium LFP Battery type Nominal capacity (kWh) 5 Nominal voltage (V) 51.2 Voltage range (usable) (V) 40 to 58.4 Max. charge/discharge current (A) 100 Depth of discharge (DoD) (%) 90 Internal resistance ($m\Omega$) ≤60 Cycle life 6000 Battery pack round-trip efficiency (%) >95

DC disconnect Contactor fuse

BMS

Power consumption <3 W (work)

400 mW (sleep)
Monitoring parameters
System voltage
System current
Cell voltage
Cell temperature

Communication CAN-WiFi, RS 485

OPERATING CONDITIONS

Operating temperature (°C) -10 to 50
Operating temperature (recommended) (°C) 15 to 30
Storage temperature (°C) -30 to 60
Humidity conditions (%) 5 to 95
Altitude (m) Max. 2,000

Cooling strategy Natural convection

RELIABILITY AND CERTIFICATION

Certification Cell: UL1642

Battery module: IEC62619 & UL1973

Hazardous materials classification Class 9
Transportation UN38.3
Ingress protection rating IP 54

System configuration 1 to 8 parallel

WARRANTY

Product and performance 10-year standard warranty



The 5K batteries could be rack-mounted in **Soluna Liberty Cabinet** for up to 6x batteries in series and offers 30kWh storage capacity.

The Cabinet Kits pre-wired for a very fast installation at customer site, and with the IP 54 rate cabinet could be outdoor installed also save the installation space which is preferred for off-grid applications.

Liberty 30K

Capacity (kWh) Voltage (V) Max. charge/discharge (A) DoD (%)	30 51.2 100 90
Height (mm) Width (mm) Depth (mm) Weight (kg)	1340 600 650 430



