

# STH 210 Plus

HEATING BUFFER CYLINDER

PRODUCT-NO.: 203763

## The main features

Buffer cylinder for integration into the heating system

---

Low standby losses thanks to highly effective thermal insulation

---

Suitable for cooling due to diffusion-proof complete foam application, therefore can be used for heating and cooling

---

Accessories such as threaded immersion heaters can be installed

---

Casing can be removed during handling if required





Type	STH 720-1 Plus	STH 210 Plus	STH 415 Plus
Part no.	203766	203763	203764
Rated capacity	703 l	207 l	415 l
Height	1890 mm	1535 mm	1710 mm
Diameter incl. thermal insulation	910 mm	630 mm	750 mm

## Technical data

Energy efficiency class		B	B
Standby energy consumption/24 h at 65 °C	2,20 kWh	1,10 kWh	1,60 kWh
Connection	4 x G2 A	4 x G2 A	4 x G2 A
Height of unit when tilted	2000 mm	1650 mm	1800 mm
Weight	216 kg	58 kg	81 kg



Type	STH 720 Plus
Part no.	203765
Rated capacity	720 l
Height	1890 mm
Diameter incl. thermal insulation	910 mm

#### Technical data

Energy efficiency class	
Standby energy consumption/24 h at 65 °C	2,20 kWh
Connection	4 x G2 A
Height of unit when tilted	2000 mm
Weight	185 kg

## **Contact information**

Do you have additional questions? Then please do not hesitate to contact us, we would be only too happy to help:

Call 0151 346 2300

Or send an e-mail to

[sales@stiebel-eltron.co.uk](mailto:sales@stiebel-eltron.co.uk)

Only a qualified contractor should carry out the installation, commissioning, maintenance and repair of this appliance. Where applicable and prior to installation the electricity and/or water utility companies should be notified of your intention to install the product.