

SBB 401 WP SOL (GB) Set

SOLAR CYLINDER

PRODUCT-NO.: 228946

The SBB freestanding cylinder is the optimum solution for DHW heating in conjunction with a heat pump in a detached or two-family house. With the SOL versions, it is also possible to integrate a solar thermal system. The cylinder's inner values are particularly impressive. Its specially designed smooth indirect coils are particularly good at transferring heat efficiently. At the same time, they are just as resistant to scale deposits as the entire inner casing, which features a special enamel coating.



The main features

400 l cylinder

For DHW heating in a detached or two-family house

Can be combined with a solar thermal system (SOL version)

Highly effective insulation for low heat losses



| Type | SBB 301 WP (GB) Set | SBB 302 WP (GB) Set | SBB 401 WP SOL (GB) Set |
|----------------|------------------------|------------------------|----------------------------|
| Part no. | 228944 | 228945 | 228946 |
| Rated capacity | 301 l | 290 l | 391 l |
| Height | 1770 mm | 1770 mm | 1940 mm |

Technical data

| | | | |
|--|--------------------|--------------------|--------------------|
| Energy efficiency class | C | C | C |
| Standby energy consumption/24 h at 65 °C | 2,1 kWh | 2,1 kWh | 2,4 kWh |
| Surface, indirect coil, top | 3,2 m ² | 4,8 m ² | 4 m ² |
| Surface area, lower indirect coil | | | 1,4 m ² |
| Height of unit when tilted | 1750 mm | 1750 mm | 1930 mm |
| Max. recommended collector aperture area | | | 10 m ² |



| | |
|----------------|----------------------------|
| Type | SBB 501 WP SOL (GB) Set |
| Part no. | 228947 |
| Rated capacity | 493 l |
| Height | 2044 mm |

Technical data

| | |
|--|--------------------|
| Energy efficiency class | |
| Standby energy consumption/24 h at 65 °C | 2,4 kWh |
| Surface, indirect coil, top | 5 m ² |
| Surface area, lower indirect coil | 1,4 m ² |
| Height of unit when tilted | 2030 mm |
| Max. recommended collector aperture area | 10 m ² |

Contact information

Do you have additional questions? Then please do not hesitate to contact us, we would be only too happy to help:

Call 0151 346 2300

Or send an e-mail to

sales@stiebel-eltron.co.uk

Only a qualified contractor should carry out the installation, commissioning, maintenance and repair of this appliance. Where applicable and prior to installation the electricity and/or water utility companies should be notified of your intention to install the product.